

IMPORTANT MEDICAL INFO



THIS PATIENT HAS HYPOTHYROIDISM (LACK OF THYROID HORMONES) AND IS AT RISK OF COMA!

Potential symptoms include lethargy, low body temperature, low blood pressure, and low respiratory rate.

If the patient is not able to swallow immediate iv injection of 300-500 μg L-thyroxine or 200-300 μg L-thyroxine plus 10-25 μg liothyronine is indicated followed by 50-100 μg L-thyroxine daily.

Fluid substitution with 0.9% saline might be needed

Name

Date of birth



European Society
of **Endocrinology**

Важлива медична інформація



У ЦЬОГО ПАЦІЄНТА ГІПОТИРЕОЗ (недостатність гормонів щитоподібної залози) і є ризик коми.

Потенційні симптоми включають в себе млявість, низьку температуру тіла, низький артеріальний тиск та низьку частоту дихання.

Якщо пацієнт не може ковтати, екстрено призначається внутрішньовенна ін'єкція 300–500 мкг L-тироксину або 200–300 мкг L-тироксину в комбінації з 10–25 мкг ліотироніну, після чого проводиться терапія 50–100 мкг L-тироксину щоденно.

Може знадобитися відновлення рідини 0,9%-ним фізіологічним розчином

П. І. Б.

Дата народження